

Grand[®]

2023 CATALOG

COMMERCIAL REFRIGERATOR EQUIPMENT
STAY FRESH, **STAY GRAND.**



We are Grand

Welcome to Grand Manufacturing LLC! We specialize in commercial refrigeration and gas products, offering high-quality solutions for businesses. Our focus is on keeping products fresh and ensuring superior quality, driven by innovation and customer satisfaction.

At Grand Manufacturing, we live by our motto, "Stay fresh, stay grand." Our goal is to excel in both products and services. With a dedicated team, we offer customized solutions and support to help your business thrive. Trust us as your reliable partner for freshness, efficiency, and top-notch quality.

 Grand Manufacturing LLC

 www.grandmfgllc.com

STAY FRESH STAY GRAND

Grand Manufacturing LLC offers top-quality commercial refrigeration and gas equipment for professional kitchens. Our refrigeration equipment is built with premium materials and advanced manufacturing techniques, ensuring exceptional performance and durability. With our reliable refrigeration solutions, you can focus on crafting delicious dishes and satisfying your customers.

In addition to our refrigeration equipment, we provide sleek and durable gas equipment. Crafted with high-quality materials, our gas equipment delivers reliable performance and is designed for easy cleaning and hassle-free maintenance. Whether you need to fry, grill, bake, or roast, we can provide a wide range of specialized gas equipment to meet diverse cooking requirements.

At Grand, we are committed to delivering culinary excellence. Our comprehensive range of refrigeration and gas equipment offers superior performance, durability, and reliability. Elevate your kitchen with Grand Manufacturing LLC and experience the difference in quality and efficiency.



TABLE OF CONTENTS

Refrigerator Series

1. Reach In	1 - 4
2. Prep Table	5 - 14
3. Under Counter	16 - 20
4. Chef Base	21 - 24
5. Under Bar	25 - 34
6. Display Case	35 - 42
7. Customized product	43 - 44
8. Warranty Policies	45
9. Warranty Service	46



Grand[®]

The image provided is for reference purposes only.

Reliable Cooling Solutions for Your Kitchen.

Discover the superior performance and reliability of our Reach-In Refrigeration units. Designed for commercial kitchens, our refrigerators provide efficient cooling, ample storage, and precise temperature control.

Experience the convenience and quality that will elevate your food storage and preservative needs.





Bottom Mouth Reach In

Reliable Cooling Solutions for
Your Kitchen.

Our Bottom Mount Reach In Refrigerator / Freezer is equipped with advanced features such as digital temperature control, hot gas condensate system, automatic defrost, and a modern and durable design.

With sturdy handles, easy-to-remove magnetic door gasket, and safety features like door locks and shielded LED lighting, it provides efficient and secure storage for your products. The refrigerator maintains a temperature between 32°F~41°F (0°C~5°C), while the freezer keeps products below 0°F(-18°C).

Equipped with 4" heavy duty casters with brakes, this unit offers easy mobility and stability.



SPACIOUS AND RELIABLE

Our Reach-In refrigerator/freezer provides ample storage space and reliable performance. Featuring a modern one-piece grill for improved airflow and durability, and PE coated sturdy wire shelves for easy organization. Experience the convenience and dependability of our bottom mount refrigerator/freezer for all your refrigeration needs.




EFFORTLESS ACCESS

Our Reach-In refrigerator/freezer offers effortless access and reliable cooling. The auto-closing doors and sturdy, easy-grip handles make it convenient to use. Enjoy the peace of mind knowing that your food and beverages are kept at the perfect temperature. Experience the convenience and reliability of our reach-in refrigerator/freezer.



STREAMLINED MAINTENAN

Our Reach-In refrigerator/freezer offers the innovative Magnetic Door Gasket, cleaning and replacement become a breeze, allowing you to effortlessly maintain the highest standards of cleanliness and functionality. Trust in our reliable refrigeration solution for hassle-free maintenance and exceptional performance.



FRESHNESS GUARANTEED

Our Reach-In refrigerator/freezer offers an efficient cooling solution with advanced features. It includes a digital temperature control and monitor for easy temperature management. The hot gas condensate system ensures optimal cooling performance, while the automatic evaporation and defrost system prevents ice buildup, keeping the unit clean and hassle-free.

BOTTOM MOUNT REACH IN

Refrigerator / Freezer

**GSR-23-HC**

1 door bottom mount
refrigerator

**GSR-49-HC**

2 door bottom mount
refrigerator

**GSR-72-HC**


3 door bottom mount
refrigerator

**GSF-23-HC**

1 door bottom mount
freezer

**GSF-49-HC**

2 door bottom mount
freezer

**GSF-72-HC**

3 door bottom mount
freezer

Model	Capacity (cu.ft/ℓ)		Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Shelves	No. Doors	Remarks
	Gross	Net	W	D	H									
GSR-23-HC	19.8	18.2	27 1/8	31 1/8	78 1/2	238	256	6.5	115/60/1	3/8	R-290	3	1	Refrigerator
	560	516	690	790	1,995	108	116	3.5	220/50,60/1					
GSR-49-HC	43.7	40.9	54 3/4	31 1/8	78 1/2	364	401	6.5	115/60/1	3/8	R-290	6	2	Refrigerator
	1,236	1,159	1,390	790	1,995	165	182	3.5	220/50,60/1					
GSR-72-HC	67.5	63.8	82 1/4	31 1/8	78 1/2	485	551	9.5	115/60/1	1/2	R-290	9	3	Refrigerator
	1,912	1,805	2,090	790	1,995	220	250	5.5	220/50,60/1					
GSF-23-HC	19.8	18.2	27 1/8	31 1/8	78 1/2	265	282	7.5	115/60/1	1/2	R-290	3	1	Freezer
	560	516	690	790	1,995	120	128	4.0	220/50,60/1					
GSF-49-HC	43.7	40.9	54 3/4	31 1/8	78 1/2	390	428	9.5	115/60/1	3/4	R-290	6	2	Freezer
	1,236	1,159	1,390	790	1,995	177	194	5.5	220/50,60/1					
GSF-72-HC	67.5	63.8	82 1/4	31 1/8	78 1/2	511	578	7.5	115/60/1	1 1/4	R-290	9	3	Freezer
	1,912	1,805	2,090	790	1,995	232	262	6.0	220/50,60/1					

* External dimensions do not include 4" caster height.

GRAND has the right to change specifications without further notice.





Grand[®]

The image provided is for reference purposes only.

Efficient Food Preparation for Your Kitchen.

Introducing our Prep Table, the ultimate solution for efficient food preparation in Your Kitchen.

Designed with convenience and functionality in mind, our Prep Table offers ample workspace, easy-to-clean surfaces, and smart storage options. With its durable construction and versatile features, it's the perfect addition to any professional kitchen.

Elevate your food preparation experience with our high-quality Prep Table.




Prep Table

Efficient Food Preparation for Your Kitchen.

Introducing our Prep Table, the perfect solution for any commercial kitchen. With its user-friendly features, including auto-closing doors and sturdy, easy-grip handles, it's designed for effortless use and maintenance.

Plus, enhanced airflow and digital temperature control ensure that your products are kept at the optimal temperature. With our Prep Table, you can streamline your kitchen operations and keep your ingredients fresh and ready to use.



EFFICIENT ORGANIZATION

Our Prep Table refrigerators are equipped with workspace and storage compartments, allowing kitchen staff to efficiently organize and arrange ingredients, condiments, and tools. This design facilitates convenient and quick food preparation processes.




SMOOTH OPEN

Our Prep Table with auto-closing doors and ergonomic handles for convenient use. The removable magnetic door gasket ensures effortless cleaning and replacement, making maintenance a breeze. Effortless access and easy maintenance at your fingertips.



OPTIMAL PERFORMANCE

Our Prep Table is designed with enhanced airflow technology to ensure consistent product temperatures ranging from 32°F to 41°F (0°C to 5°C). Experience reliable temperature control that keeps your ingredients fresh and preserved at their best.




PRECISION COOLING

Our Prep Table, featuring smart digital temperature control and advanced cooling systems. Experience efficient cooling and optimal product protection with its hot gas condensate system, automatic evaporation and defrost system, and insulated stainless steel covers.

SALAD & SANDWICH PREP TABLE

Door

**GSU-28(8)-HC**28" 1 door salad
prep table**GSU-36(10)-HC**36" 2 doors salad
prep table**GSU-48(12)-HC**48" 2 doors salad
prep table**GSU-60(16)-HC**60" 2 doors salad
prep table**GSU-72(18)-HC**72" 3 doors salad
prep table

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Shelves	No. Doors	No. Pans (1/6")
		W	D	H									
GSU-28(8)-HC	6.55	27 1/2	30	42 1/2	157	165	3.4	115/60/1	1/5	R-290	1	1	8
	186	699	762	1,080	71	75	2.0	220/50,60/1					
GSU-36(10)-HC	8.92	36 3/8	30	42 1/2	190	203	3.4	115/60/1	1/5	R-290	2	2	10
	252	923	762	1,080	86	92	2.0	220/50,60/1					
GSU-48(12)-HC	12.23	48 1/4	30	42 1/2	234	251	6.0	115/60/1	3/8	R-290	2	2	12
	346	1,227	762	1,080	106	114	3.2	220/50,60/1					
GSU-60(16)-HC	15.56	60 3/8	30	42 1/2	256	278	6.0	115/60/1	3/8	R-290	2	2	16
	441	1,533	762	1,080	116	126	3.2	220/50,60/1					
GSU-72(18)-HC	18.75	72 3/8	30	42 1/2	298	326	6.1	115/60/1	3/8	R-290	3	3	18
	531	1,839	762	1,080	135	148	3.2	220/50,60/1					

* External dimensions include 5" caster height

GRAND has the right to change specifications without further notice.



SALAD & SANDWICH PREP TABLE

Drawer



GSU-28(8)-D2

28" 2 drawers
salad prep table




GSU-36(10)-D4

36" 4 drawers
salad prep table



GSU-48(12)-D4

48" 4 drawers
salad prep table



GSU-60(16)-D4

60" 4 drawers
salad prep table

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Drawers	No. Pans (1/6")
		W	D	H								
GSU-28(8)-D2	6.55	27 1/2	30	42 1/2	187	196	3.4	115/60/1	1/5	R -290	2	8
	186	699	762	1,080	85	89	2.0	220/50,60/1				
GSU-36(10)-D4	8.92	36 3/8	30	42 1/2	238	251	3.4	115/60/1	1/5	R -290	4	10
	252	923	762	1,080	108	114	2.0	220/50,60/1				
GSU-48(12)-D4	12.23	48 1/4	30	42 1/2	291	309	6.0	115/60/1	3/8	R -290	4	12
	346	1,227	762	1,080	132	140	3.2	220/50,60/1				
GSU-60(16)-D4	15.56	60 3/8	30	42 1/2	322	344	6.0	115/60/1	3/8	R -290	4	16
	441	1,533	762	1,080	146	156	3.2	220/50,60/1				

* External dimensions include 5" caster height


GRAND has the right to change specifications without further notice.

SALAD & SANDWICH PREP TABLE

Drawer

**GSU-72(18)-D6**


72" 6 drawers
salad prep table

**GSU-72(18)-D4RM**

72" 4 drawers 1 left door
salad prep table

**GSU-72(18)-D4LM**

72" 4 drawers 1 right
door salad prep table

**GSU-72(18)-D4LM**

72" 2 drawers 2 doors
salad prep table

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/∅)	HP	Refrigerant	No. Drawers	No. Pans (1/6")
		W	D	H								
GSU-72(18)-D6	18.75	72 3/8	30	42 1/2	386	414	6.1	115/60/1	3/8	R -290	6	18
	531	1,839	762	1,080	175	188	3.2	220/50,60/1				
GSU-72(18)-D4RM	18.75	72 3/8	30	42 1/2	386	414	6.1	115/60/1	3/8	R -290	4	18
	531	1,839	762	1,080	175	188	3.2	220/50,60/1				
GSU-72(18)-D4LM	18.75	72 3/8	30	42 1/2	386	414	6.1	115/60/1	3/8	R -290	4	18
	531	1,839	762	1,080	175	188	3.2	220/50,60/1				
GSU72(18)-D4RL	18.75	72 3/8	30	42 1/2	386	414	6.1	115/60/1	3/8	R -290	4	18
	531	1,839	762	1,080	175	188	3.2	220/50,60/1				

* External dimensions include 5" caster height

GRAND has the right to change specifications without further notice.



MEGATOP SANDWICH PREP TABLE

Door



GMU-28(12)-HC

28" 1 door megatop
prep table



GMU-36(15)-HC

36" 2 doors megatop
prep table



GMU-48(18)-HC

48" 2 doors megatop
prep table



GMU-60(24)-HC

60" 2 doors megatop
prep table



GMU-72(30)-HC

72" 3 doors megatop
prep table

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrig- erant	No. Shelves	No. Doors	No. Pans (1/6")
		W	D	H									
GMU-28(12)-HC	6.55	27 1/2	35 1/4	44 1/8	168	176	3.4	115/60/1	1/5	R-290	1	1	12
	186	699	895	1,120	76	80	2.0	220/50,60/1					
GMU-36(15)-HC	8.92	36 3/8	35 1/4	44 1/8	203	216	3.4	115/60/1	1/5	R-290	2	2	15
	252	923	895	1,120	92	98	2.0	220/50,60/1					
GMU-48(18)-HC	12.23	48 1/4	35 1/4	44 1/8	247	265	6.0	115/60/1	3/8	R-290	2	2	18
	346	1,227	895	1,120	112	120	3.2	220/50,60/1					
GMU-60(24)-HC	15.56	60 3/8	35 1/4	44 1/8	278	300	6.0	115/60/1	3/8	R-290	2	2	24
	441	1,533	895	1,120	126	136	3.2	220/50,60/1					
GMU-72(30)-HC	18.75	72 3/8	35 1/4	44 1/8	324	353	6.1	115/60/1	3/8	R-290	3	3	30
	531	1,839	895	1,120	147	160	3.2	220/50,60/1					

* External dimensions include 5" caster height

GRAND has the right to change specifications without further notice.

MEGATOP SANDWICH PREP TABLE

Drawer



GMU-28(12)-D2

28" 2 drawers
megatop prep table




GMU36(15)-D4

36" 4 drawers
megatop prep table



GMU-48(18)-D4

48" 4 drawers
megatop prep table



GMU-60(24)-D4

60" 4 drawers
megatop prep table



GMU-72(30)-D6

72" 6 drawers megatop prep table



GMU-72(30)-D4RM

72" 4 drawers 1 left door megatop prep table



GMU-72(30)-D4LM

72" 4 drawers 1 right door megatop prep table



GMU-72(30)-D4RL

72" 2 drawers 2 doors megatop prep table

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Drawers	No. Pans (1/6")
		W	D	H								
GMU-28(12)-D2	6.55	27 1/2	35 1/4	44 1/8	198	207	3.4	115/60/1	1/5	R -290	2	12
	186	699	895	1,120	90	94	2.0	220/50,60/1				
GMU-36(15)-D4	8.92	36 3/8	35 1/4	44 1/8	251	265	3.4	115/60/1	1/5	R -290	4	15
	252	923	895	1,120	114	120	2.0	220/50,60/1				
GMU-48(18)-D4	12.23	48 1/4	35 1/4	44 1/8	304	322	6.0	115/60/1	3/8	R -290	4	18
	346	1,227	895	1,120	138	146	3.2	220/50,60/1				
GMU-60(24)-D4	15.56	60 3/8	35 1/4	44 1/8	344	366	6.0	115/60/1	3/8	R -290	4	24
	441	1,533	895	1,120	156	166	3.2	220/50,60/1				
GMU-72(30)-D6	18.75	72 3/8	35 1/4	44 1/8	412	441	6.1	115/60/1	3/8	R -290	6	30
	531	1,839	895	1,120	187	200	3.2	220/50,60/1				
GMU-72(30)-D4RM	18.75	72 3/8	35 1/4	44 1/8	412	441	6.1	115/60/1	3/8	R -290	4	30
	531	1,839	895	1,120	187	200	3.2	220/50,60/1				
GMU-72(30)-D4LM	18.75	72 3/8	35 1/4	44 1/8	412	441	6.1	115/60/1	3/8	R -290	4	30
	531	1,839	895	1,120	187	200	3.2	220/50,60/1				
GMU-72(30)-D4RL	18.75	72 3/8	35 1/4	44 1/8	412	441	6.1	115/60/1	3/8	R -290	2	30
	531	1,839	895	1,120	187	200	3.2	220/50,60/1				

* External dimensions include 5" caster height

GRAND has the right to change specifications without further notice.



Pizza Prep Table

Efficient Food Preparation for Your Kitchen.

Introducing our Pizza Prep Table, an ideal solution for any commercial kitchen. This well-designed unit features user-friendly attributes, such as auto-closing doors and robust, ergonomic handles, making it effortless to operate and maintain.

Furthermore, with enhanced airflow and digital temperature control, it guarantees that your products are maintained at their optimal temperature. Our Pizza Prep Table empowers you to streamline your kitchen operations, ensuring that your ingredients remain fresh and readily available for your culinary endeavors.



SLEEK OPERATION

Our Pizza Prep Table boasts auto-closing doors and ergonomic handles for convenient use. The removable magnetic door gasket ensures effortless cleaning and replacement, making maintenance a breeze. Effortless access and easy maintenance at your fingertips.




STREAMLINED SETUP

Our Pizza Prep Table refrigerators feature workspace and storage compartments, enabling kitchen staff to efficiently organize and arrange ingredients, condiments, and tools. This design streamlines convenient and rapid food preparation processes.



PEAK PRECISION

Our Pizza Prep Table incorporates enhanced airflow technology to ensure consistent product temperatures ranging from 32°F to 41°F (0°C to 5°C). Enjoy reliable temperature control that keeps your ingredients fresh and preserved at their best.



EXACT CHILLING

Our Pizza Prep Table, equipped with smart digital temperature control and advanced cooling systems. Enjoy precise cooling and optimal product protection with its hot gas condensate system, automatic evaporation and defrost system, and insulated stainless steel covers.

PIZZA PREP TABLE

Door

**GPZ-44-HC**

44" 1 door pizza
prep table

**GPZ-67-HC**

67" 2 doors pizza
prep table

**GPZ-93-HC**

93" 3 doors pizza
prep table

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Shelves	No. Doors	No. Pans (1/3")
		W	D	H									
GPZ-44-HC	11.3	44 3/8	36 1/2	42	287	304	6.5	115/60/1	3/8	R -290	2	1	6
	320	1,128	929	1,066	130	138	3.2	220/50,60/1					
GPZ-67-HC	20.2	67	36 1/2	42	368	397	6.5	115/60/1	3/8	R -290	4	2	9
	572	1,702	929	1,066	167	180	3.2	220/50,60/1					
GPZ-93-HC	30.8	93 1/4	36 1/2	42	452	492	7.5	115/60/1	1/2	R -290	6	3	12
	872	2,370	929	1,066	205	223	3.8	220/50,60/1					

* External dimensions include 4" caster height **pans not included

GRAND has the right to change specifications without further notice.

PIZZA PREP TABLE

Drawer

**GPZ-44-D2**

44" 2 drawers pizza
prep table

**GPZ-67-D4**

67" 4 drawers pizza
prep table

**GPZ-93-D6**

93" 6 drawers pizza
prep table

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Drawers	No. Pans (1/3")
		W	D	H								
GPZ-44-D2	11.3	44 3/8	36 1/2	42	320	337	6.5	115/60/1	3/8	R -290	2	6
	320	1,128	929	1,066	145	153	3.2	220/50,60/1				
GPZ-67-D4	20.2	67	36 1/2	42	423	452	6.5	115/60/1	3/8	R -290	4	9
	572	1,702	929	1,066	192	205	3.2	220/50,60/1				
GPZ-93-D6	30.8	93 1/4	36 1/2	42	545	584	7.5	115/60/1	1/2	R -290	6	12
	872	2,370	929	1,066	247	265	3.8	220/50,60/1				

* External dimensions include 4" caster height **pans not included

GRAND has the right to change specifications without further notice.





Grand[®]

The image provided is for reference purposes only.

Efficient Food Prep for Your Kitchen.

The Under Counter units are the perfect blend of powerful cooling capabilities and a compact, space-saving design, allowing you to efficiently store and cool your products without compromising on space.

Experience optimal performance and convenience with these versatile under counter refrigeration units.



Under Counter

Efficient Food Prep for
Your Kitchen.

Crafted with meticulous attention to detail, our under counter units boast durable construction and cutting-edge technology to ensure reliable performance and long-lasting durability.

With precise temperature control, you can confidently store a wide range of perishable items at their ideal conditions, maintaining their freshness and quality for longer periods.



COMPACT DESIGN

Our Under Counter refrigeration & freezer efficient cooling, maximum space utilization. Enjoy the convenience of these compact units, designed to fit seamlessly under the counter, providing easy access to fresh and frozen ingredients while optimizing your kitchen space.




QUICK GLIDE

Our Under Counter refrigeration & freezer features auto-closing doors and easy-grip handles for effortless access. With a magnetic door gasket that is easily removable for cleaning or replacement, maintenance becomes hassle-free.



DURABLE CABINET FINISH

Our Under Counter refrigeration & freezer units feature a durable and easy-to-clean stainless steel front, top, and sides. Enjoy the longevity and efficient hygiene of our units, ensuring reliable cooling performance for your commercial kitchen.




PRECISION COOLING


Our Under Counter refrigerator & freezer boasts digital temperature control and monitoring for accurate temperature management. With a hot gas condensate system and automatic evaporation and defrost system, your products stay fresh and perfectly chilled.

REAR MOUNT UNDER COUNTER

Refrigerator

**GUR-28-HC**


28" 1 door undercounter
refrigerator

**GUR-36-HC**


36" 2 doors undercounter
refrigerator

**GUR-48-HC**

48" 2 doors undercounter
refrigerator

**GUR-60-HC**

60" 2 doors undercounter
refrigerator

**GUR-72-HC**

72" 2 doors undercounter
refrigerator

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Shelves	No. Doors
		W	D	H								
GUR-28-HC	6.55	27 1/2	30	35 7/8	134	143	3.2	115/60/1	1/5	R-290	1	1
	186	699	762	910	61	65	2.0	220/50,60/1				
GUR-36-HC	8.92	36 3/8	30	35 7/8	170	181	3.2	115/60/1	1/5	R-290	2	2
	252	923	762	910	77	82	2.0	220/50,60/1				
GUR-48-HC	12.23	48 1/4	30	35 7/8	209	227	3.2	115/60/1	1/5	R-290	2	2
	346	1,227	762	910	95	103	2.0	220/50,60/1				
GUR-60-HC	15.56	60 3/8	30	35 7/8	231	254	6.0	115/60/1	3/8	R-290	2	2
	441	1,533	762	910	105	115	3.2	220/50,60/1				
GUR-72-HC	18.75	72 3/8	30	35 7/8	267	295	6.1	115/60/1	3/8	R-290	3	3
	531	1,839	762	910	121	134	3.2	220/50,60/1				


* External dimensions include 5" caster height

GRAND has the right to change specifications without further notice.



REAR MOUNT UNDER COUNTER

Freezer




GUF-28-HC

28" 1 door undercounter
freezer




GUF-36-HC

36" 2 doors undercounter
freezer



GUF-48-HC

48" 2 doors undercounter
freezer



GUF-60-HC

60" 2 doors undercounter
freezer

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrig- erant	No. Shelves	No. Drawers
		W	D	H								
GUF-28-HC	6.55	27 1/2	30	35 7/8	143	152	5.3	115/60/1	3/8	R-290	1	1
	186	699	762	910	65	69	2.8	220/50,60/1				
GUF-36-HC	8.92	36 5/16	30	35 7/8	181	192	7.5	115/60/1	1/2	R-290	2	2
	252	923	762	910	82	87	3.8	220/50,60/1				
GUF-48-HC	12.23	48 1/4	30	35 7/8	220	238	7.5	115/60/1	1/2	R-290	2	2
	346	1,227	762	910	100	108	3.8	220/50,60/1				
GUF-60-HC	15.56	60 3/8	30	35 7/8	254	276	7.5	115/60/1	1/2	R-290	2	2
	441	1,533	762	910	115	125	3.8	220/50,60/1				

* External dimensions include 5" caster height

GRAND has the right to change specifications without further notice.

REAR MOUNT UNDER COUNTER


Drawer

**GUR-28-D2**


28" 2 drawers
undercounter refrigerator

**GUR-36-D4**

36" 4 drawers
undercounter refrigerator

**GUR-48-D4**


48" 4 drawers
undercounter refrigerator

**GUR-60-D4**


60" 4 drawers undercounter refrigerator

**GUR-72-D6**

72" 6 drawers undercounter refrigerator

**GUR-72-D4RM**

72" 4 drawers 1 left door undercounter refrigerator

**GUR-72-D4LM**

72" 4 drawers 1 right door undercounter refrigerator

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Drawers
		W	D	H							
GUR-28-D2	6.55	27 1/2	30	35 7/8	165	174	3.2	115/60/1	1/5	R-290	2
	186	699	762	910	75	79	2.0	220/50,60/1			
GUR-36-D4	8.92	36 3/8	30	35 7/8	218	229	3.2	115/60/1	1/5	R-290	4
	252	923	762	910	99	104	2.0	220/50,60/1			
GUR-48-D4	12.23	48 1/4	30	35 7/8	267	284	3.2	115/60/1	1/5	R-290	4
	346	1,227	762	910	121	129	2.0	220/50,60/1			
GUR-60-D4	15.56	60 3/8	30	35 7/8	298	320	6.0	115/60/1	3/8	R-290	4
	441	1,533	762	910	135	145	3.2	220/50,60/1			
GUR-72-D6	18.75	72 3/8	30	35 7/8	355	384	6.1	115/60/1	3/8	R-290	6
	531	1,839	762	910	161	174	3.2	220/50,60/1			
GUR-72-D4RM	18.75	72 3/8	30	35 7/8	355	384	6.1	115/60/1	3/8	R-290	4
	531	1,839	762	910	161	174	3.2	220/50,60/1			
GUR-72-D4LM	18.75	72 3/8	30	35 7/8	355	384	6.1	115/60/1	3/8	R-290	4
	531	1,839	762	910	161	174	3.2	220/50,60/1			

* External dimensions include 5" caster height

GRAND has the right to change specifications without further notice.






Grand[®]

The image provided is for reference purposes only.

Elevate Culinary Skills in Your Kitchen.

The essential tool for your kitchen. With its durable stainless steel construction and ample storage capacity, it provides a convenient and organized workspace.

Experience the efficiency and reliability of our Chef Base to elevate your culinary endeavors.



Chef Base

Elevate Your Culinary Skills in Your Kitchen.



Elevate your culinary workspace with our Chef Base. Featuring a durable stainless steel construction, it provides a reliable foundation for your kitchen equipment.

With its convenient storage drawers and sleek design, our Chef Base combines functionality and style to enhance your food preparation area.



DURABLE CABINET FINISH

Our Chef Bases are built with a fully stainless steel finish for durability and a sleek appearance. The 18-gauge (1.0mm) one-piece grill-reinforced stainless steel top ensures exceptional strength. Upgrade your kitchen with this reliable and easy-to-maintain equipment.




SMOOTH OPEN

Our Chef Bases with auto-closing doors and ergonomic handles for convenient use. The removable magnetic door gasket ensures effortless cleaning and replacement, making maintenance a breeze. Effortless access and easy maintenance at your fingertips.



HEAVY DUTY DRAWERS

Our Chef Bases are built to withstand the demands of a professional kitchen. The heavy duty drawers are equipped with telescoping slides and roller bearing wheels, allowing for smooth and easy access. Made from stainless steel, these drawers are not only durable but also have a weight capacity of up to 88 pounds (40kg).






DURABILITY AND SLEEKNESS


Our Chef Bases brings you an exceptional temperature control experience. Enjoy efficient cooling and superior product protection with features like the hot gas condensate system, automatic evaporation and defrost system, and insulated stainless steel covers.

Chef Base


Drawer

**GCB-36-HC**36" 2 drawers
chef base**GCB-48-HC**48" 2 drawers
chef base**GCB-53(M)-HC**53" 2 drawers
chef base**GCB-60(M)-HC**


60" 2 drawers chef base

**GCB-74(M)-HC**

74" 4 drawers chef base

**GCB-86(M)-HC**

86" 4 drawers chef base

**GCB-96(M)-HC**

96" 4 drawers chef base

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrig- erant	No. Drawers	No. Pans(1/1")
		W	D	H								
GCB-36-HC	5.7	36	30 1/2	25 1/2	170	181	3.3	115/60/1	1/5	R -290	2	2 + 4(1/4")
	166	914	775	648	77	82	2.0	220/50,60/1				
GCB-48-HC	8.6	48	30 1/2	25 1/2	207	220	3.3	115/60/1	1/5	R -290	2	4 + 4(1/4")
	244	1,219	775	648	94	100	2.0	220/50,60/1				
GCB-53(M)-HC	9.8	52 3/4	30 1/2	25 1/2	220	243	3.3	115/60/1	1/5	R -290	2	6
	278	1,340	775	648	100	110	2.0	220/50,60/1				
GCB-60(M)-HC	9.8	60	30 1/2	25 1/2	231	254	3.3	115/60/1	1/5	R -290	2	6
	278	1,524	775	648	105	115	2.0	220/50,60/1				
GCB-74(M)-HC	14.3	74 1/8	30 1/2	25 1/2	282	309	6.0	115/60/1	1/8	R -290	4	8
	405	1,882	775	648	128	140	3.2	220/50,60/1				
GCB-86(M)-HC	17.2	86 1/4	30 1/2	25 1/2	317	348	6.0	115/60/1	3/8	R -290	4	8
	487	2,192	775	648	144	158	3.2	220/50,60/1				
GCB-96(M)-HC	21.4	96 1/8	30 1/2	25 1/2	342	377	6.0	115/60/1	3/8	R -290	4	12
	606	2,440	775	648	155	171	3.2	220/50,60/1				

* External dimensions include 4"caster height - marine edge standard ** Pans not included

GRAND has the right to change specifications without further notice.





Grand

Grand®

The image provided is for reference purposes only.

Unleash the Potential of Your Bar.

Maximize Your Bar's Potential with our Under Bar series. From sleek and functional bar counters to efficient refrigeration units, our innovative solutions are designed to enhance the performance of your bar.

Create a seamless workflow, optimize storage space, and elevate the overall experience for your customers. With our Under Bar series, your bar will be equipped with the tools it needs to thrive.



Back Bar

Unleash the Potential of Your Bar.

Enhance your bar area with our Back Bar unit. With its sleek and stylish design, it not only adds a touch of elegance but also provides efficient storage and display for your beverages.

The spacious interior and adjustable shelves offer versatility to accommodate various bottle sizes. Whether you need a chilling station or a showcase for your drink selection, our Back Bar unit is the perfect solution.



SLEEK AND SPACIOUS

Our Back Bar redefining sophistication and functionality. With a sleek black laminate exterior and a robust galvanized steel interior, it combines elegance and durability. Its generous capacity provides ample storage space for a wide variety of beverages, allowing you to showcase your drink selection with style.



EFFORTLESS ACCESS

Our Back Bar are designed with sturdy construction and easy-grip handles, making access to your beverages effortless. With smooth and effortless door opening, you can easily retrieve your drinks without any hassle. Experience convenience and durability with our bottle coolers, perfect for commercial use and customer satisfaction.



EFFICIENT COOLING

Our Back Bar solution combines advanced features for optimal beverage cooling. With digital temperature control, you can easily adjust and monitor the perfect serving temperature. The hot gas condensate system enhances cooling efficiency.





SECURE STORAGE

Our Back Bar is designed to accommodate door locks, providing added security and convenience. Keep your beverages safely stored while having the option to lock the cooler for enhanced protection. With its versatile design, our bottle cooler ensures the perfect blend of functionality and peace of mind. secure bottle cooler.

BACK BAR


Glass Door

**GBB-23BG-HC**23" 1 door back bar
- glass door**GBB-59BG-HC**59" 2 doors back bar
- glass door**GBB-69BG-HC**


69" 2 doors back bar - glass door

**GBB-80BG-HC**

80" 3 doors back bar - glass door

**GBB-90BG-HC**

90" 3 doors back bar - glass door

**GBB-95BG-HC**

95" 3 doors back bar - glass door

Model	Capacity			Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Shelves	No. Doors
	cu.ft/ℓ	Can	Bottle	W	D	H								
GBB-23BG-HC	7.9	386	181	23 3/8	31 1/8	39 1/8	132	139	3.3	115/60/1	1/5	R-290	2	1
	224			595	792	995	60	63	2.0	220/50,60/1				
GBB-59BG-HC	19.4	1,084	498	59	27 1/8	37	236	256	4.2	115/60/1	3/8	R-290	4	2
	549			1,500	688	940	107	116	2.2	220/50,60/1				
GBB-69BG-HC	23.4	1,299	594	69 1/8	27 1/8	37	262	287	5.2	115/60/1	3/8	R-290	4	2
	663			1,755	688	940	119	130	2.8	220/50,60/1				
GBB-80BG-HC	27.9	1,566	714	80 3/4	27 1/8	37	302	331	5.2	115/60/1	3/8	R-290	6	3
	790			2,052	688	940	137	150	2.8	220/50,60/1				
GBB-90BG-HC	31.6	1,786	810	90 3/8	27 1/8	37	331	364	6.3	115/60/1	3/8	R-290	6	3
	895			2,295	688	940	150	165	3.4	220/50,60/1				
GBB-95BG-HC	33.6	1,875	858	95 1/4	27 1/8	37	348	384	6.3	115/60/1	3/8	R-290	6	3
	951			2,420	688	940	158	174	3.4	220/50,60/1				

* GBB-23BG-HC exterior dimension includes 4" caster height ** External dimensions do not include caster height - Casters are optional.
GRAND has the right to change specifications without further notice.




BACK BAR

Solid Door




GBB-23B-HC

23" 1 door back bar
- solid door




GBB-59B-HC

59" 2 doors back bar
- solid door



GBB-69B-HC

69" 2 doors back bar - solid door



GBB-80B-HC

80" 3 doors back bar - solid door



GBB-90B-HC

90" 3 doors back bar - solid door



GBB-95B-HC



95" 3 doors back bar - solid door

Model	Capacity			Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Shelves	No. Doors
	cu.ft/ℓ	Can	Bottle	W	D	H								
GBB-23B-HC	7.9	386	181	23 3/8	31 1/8	39 1/8	128	134	3.3	115/60/1	1/5	R-290	2	1
	224			595	792	995	58	61	2.0	220/50,60/1				
GBB-59B-HC	19.4	1,084	498	59	27 1/8	37	220	240	4.2	115/60/1	3/8	R-290	4	2
	549			1,500	688	940	100	109	2.2	220/50,60/1				
GBB-69B-HC	23.4	1,299	594	69 1/8	27 1/8	37	251	276	5.2	115/60/1	3/8	R-290	4	2
	663			1,755	688	940	114	125	2.8	220/50,60/1				
GBB-80B-HC	27.9	1,566	714	80 3/4	27 1/8	37	289	315	5.2	115/60/1	3/8	R-290	6	3
	790			2,052	688	940	131	143	2.8	220/50,60/1				
GBB-90B-HC	31.6	1,786	810	90 3/8	27 1/8	37	309	342	6.3	115/60/1	3/8	R-290	6	3
	895			2,295	688	940	140	155	3.4	220/50,60/1				
GBB-95B-HC	33.6	1,875	858	95 1/4	27 1/8	37	324	359	6.3	115/60/1	3/8	R-290	6	3
	951			2,420	688	940	147	163	3.4	220/50,60/1				

* GBB-23B-HC exterior dimension includes 4" caster height ** External dimensions do not include caster height - Casters are optional
GRAND has the right to change specifications without further notice.

NARROW BACK BAR

Glass Door

**GNB-48BG-HC**48" 2 doors back bar
-glass door**GNB-60BG-HC**60" 2 doors back bar
-glass door**GNB-72BG-HC**72" 3 doors back bar
-glass door


Model	Capacity			Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Shelves	No. Doors
	cu.ft/ℓ	Can	Bottle	W	D	H								
GNB-48BG-HC	11.6	714	336	48 1/4	23 7/8	35 3/8	198	212	6.3	115/60/1	3/8	R -290	4	2
	328			1,225	608	900	90	93	3.4	220/50,60/1				
GNB-60BG-HC	15.6	966	468	60 1/4	23 7/8	35 3/8	225	245	6.3	115/60/1	3/8	R -290	4	2
	442			1,530	608	900	102	111	3.4	220/50,60/1				
GNB-72BG-HC	19.6	1,218	588	72 1/4	23 7/8	35 3/8	262	284	6.3	115/60/1	3/8	R -290	6	3
	555			1,835	608	900	119	129	3.4	220/50,60/1				

* External dimensions do not include caster height - Casters are optional

GRAND has the right to change specifications without further notice.

NARROW BACK BAR

Solid Door

**GNB-48B-HC**48" 2 doors back bar
-solid door**GNB-60B-HC**60" 2 doors back bar
-solid door**GNB-72B-HC**72" 3 doors back bar
-solid door

Model	Capacity			Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Shelves	No. Doors
	cu.ft/ℓ	Can	Bottle	W	D	H								
GNB-48B-HC	11.6	714	336	48 1/4	23 7/8	35 3/8	169	181	6.3	115/60/1	3/8	R -290	4	2
	328			1,225	608	900	76	82	3.4	220/50,60/1				
GNB-60B-HC	15.6	966	468	60 1/4	23 7/8	35 3/8	212	231	6.3	115/60/1	3/8	R -290	4	2
	442			1,530	608	900	96	105	3.4	220/50,60/1				
GNB-72B-HC	19.6	1,218	588	72 1/4	23 7/8	35 3/8	249	271	6.3	115/60/1	3/8	R -290	6	3
	555			1,835	608	900	113	123	3.4	220/50,60/1				

* External dimensions do not include caster height - Casters are optional

GRAND has the right to change specifications without further notice.





Direct Draw Beer Dispenser

**Unleash the Potential of
Your Bar.**

Introducing our Direct Draw Beer Dispenser, serving ice-cold draft beer from the keg. With a user-friendly design and efficient cooling, it guarantees a smooth pouring experience.

The stainless steel construction ensures durability and easy cleaning, while precise temperature control maintains ideal serving temperatures. Elevate your beverage service with our reliable dispenser.




FRESH BEER ON TAP

Our Direct Draw Beer Dispenser brings the freshness of keg beer directly to your glass. Say goodbye to bottles and enjoy a crisp, cold pint straight from the keg. With its reliable cooling system and easy maintenance, it's the perfect addition to any home or commercial setting for an unparalleled beer experience.



SECURE STORAGE

Our Direct Draw Beer Dispenser combines convenience and security with its standard door locks, sturdy and easy-to-grip handles, and doors that open effortlessly. Enjoy peace of mind knowing your beverages are stored safely while ensuring quick and easy access for a refreshing drink.



OPTIMAL TEMPERATURE

Our Direct Draw Beer Dispenser boast superior temperature control, allowing you to enjoy consistently fresh beverages within a temperature range of 32°F to 41°F (0°C to 5°C). Experience the convenience and reliability of perfectly chilled drinks with our advanced airflow system.



EFFORTLESS MAINTENANCE


Our Direct Draw Beer Dispenser, featuring magnetic door gasket is designed to make cleaning and replacement effortless, ensuring that your refrigeration equipment stays in top condition. With its easy-to-remove feature, you can quickly and conveniently maintain optimal cleanliness and functionality.

DIRECT DRAW BEER DISPENSER


Door

**GBD-23B-HC**23" 1 door direct
draw beer dispenser**GBD-59B-HC**59" 2 doors direct
draw beer dispenser**GBD-69B-HC**

69" 2 doors direct draw beer dispenser

**GBD-80B-HC**

80" 3 doors direct draw beer dispenser

**GBD-90B-HC**

90" 3 doors direct draw beer dispenser

**GBD-95B-HC**

95" 3 doors direct draw beer dispenser

Model	Capacity (cu.ft./ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Doors	No. Towers
		W	D	H								
GBD-23B-HC	7.9	23 3/8	31 1/8	39 1/8	126	132	3.3	115/60/1	1/5	R -290	1	1
	224	595	792	995	57	60	2.0	220/50,60/1				
GBD-59B-HC	19.4	59	27 1/8	37	216	236	4.2	115/60/1	3/8	R -290	2	2
	549	1,500	688	940	98	107	2.8	220/50,60/1				
GBD-69B-HC	23.4	69 1/8	27 1/8	37	240	265	5.2	115/60/1	3/8	R -290	2	2
	663	1,755	688	940	109	120	2.8	220/50,60/1				
GBD-80B-HC	27.9	80 3/4	27 1/8	37	273	302	5.2	115/60/1	3/8	R -290	3	2
	790	2,052	688	940	124	137	2.8	220/50,60/1				
GBD-90B-HC	31.6	90 3/8	27 1/8	37	298	331	6.3	115/60/1	3/8	R -290	3	2
	895	2,295	688	940	135	150	3.4	220/50,60/1				
GBD95B-HC	33.6	95 1/4	27 1/8	37	311	346	6.3	115/60/1	3/8	R -290	3	2
	951	2,420	688	940	141	157	3.4	220/50,60/1				

*GBD-23B-HC dimension includes 4" caster height ** External dimensions do not include caster and tower height - Casters are optional and towers are not provided. GRAND has the right to change specifications without further notice.



Bottle Cooler

Unleash the Potential of Your Bar.

Experience ultimate beverage storage and cooling with our Bottle Cooler. Designed for convenience and efficiency, it offers ample space to accommodate a wide variety of bottled beverages. The sleek and modern design, coupled with durable construction, ensures long-lasting performance.

With its advanced cooling technology, your drinks will be kept at the perfect temperature, ready to be enjoyed. Whether it's for your bar, restaurant, or home, our Bottle Cooler is the ideal solution for keeping your beverages cool and refreshing.



QUICK AND CONVENIENT

Our Bottle Coolers bring convenience to your fingertips. Experience quick and easy access to your favorite beverages with our durable and reliable bottle cooler. Equipped with a removable bottle cap opener, opening your drinks has never been easier.

CHILLED DELIGHTS

Our Bottle Coolers guarantee cool, refreshing, and ready-to-serve beverages every time. Experience the efficiency and rapid cooling capabilities of our high-capacity models. Trust in our reliable design for perfectly chilled beverages, satisfying your customers with ultimate refreshment.

SECURE STORAGE


Our Bottle Coolers are designed to accommodate door locks, providing added security and convenience. Keep your beverages safely stored while having the option to lock the cooler for enhanced protection. With its versatile design, our bottle cooler ensures the perfect blend of functionality and peace of mind. secure bottle cooler.

EFFORTLESS ACCESS

Our Bottle Coolers are designed with sturdy construction and easy-grip handles, making access to your beverages effortless. With smooth and effortless door opening, you can easily retrieve your drinks without any hassle. Experience convenience and durability with our bottle coolers, perfect for commercial use and customer satisfaction.

BOTTLE COOLER

Door

**GBC-36B-HC**36" 1 door
bottle cooler**GBC-50B-HC**50" 2 doors
bottle cooler**GBC-65B-HC**65" 2 doors
bottle cooler**GBC-80B-HC**80" 3 doors
bottle cooler**GBC-95B-HC**95" 3 doors
bottle cooler

Model	Capacity			Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrigerant	No. Dicers	No. Doors
	cu.ft/ℓ	Can	Bottle	W	D	H								
GBC-36B-HC	9.9	519	229	36 3/4	28 1/2	33 3/8	128	141	3.3	115/60/1	1/4	R-290	2	1
	280			934	723	849	58	64	2.0	220/50,60/1				
GBC-50B-HC	14.8	857	377	50	28 1/2	33 3/8	196	214	6.3	115/60/1	3/8	R-290	3	2
	419			1,270	723	849	89	97	3.4	220/50,60/1				
GBC-65B-HC	20.1	1191	539	64 1/2	28 1/2	33 3/8	229	251	6.3	115/60/1	3/8	R-290	3	2
	569			1,638	723	849	104	114	3.4	220/50,60/1				
GBC-80B-HC	26	1575	715	80 1/2	28 1/2	33 3/8	273	298	6.3	115/60/1	3/8	R-290	4	3
	736			2,044	723	849	124	135	3.4	220/50,60/1				
GBC-95B-HC	31.3	1893	877	95	28 1/2	33 3/8	302	335	6.3	115/60/1	3/8	R-290	5	3
	886			2,412	723	849	137	152	3.4	220/50,60/1				

*Exterior dimensions do not include caster height - Casters are optional.)

GRAND has the right to change specifications without further notice.





Grand

Grand[®]

The image provided is for reference purposes only.

Ignite Customer Interest in Your Stores.

Elevate your product display with our Vertical Open Air Display. Featuring energy-saving night curtains, a hot gas condensate system, and automatic evaporation & defrost system, it ensures optimal temperature control and attractive merchandising.

Maximize the visibility and appeal of your products in your store with our innovative display solution.





Open Air Display

Ignite Customer Interest in Your Stores.

Experience the perfect blend of convenience and visual appeal with our Open Air Display. Designed to showcase your products in an enticing way, it features an open front for easy access, fast service, and a captivating display.

The LED sign panel further enhances the visibility of your offerings, attracting customers with its vibrant and eye-catching appeal. With our Open Air Display, you can effectively promote and present your products with style.



ENHANCED VISIBILITY

Our Vertical Open Air Display offers optimal visibility and efficiency. With recessed LED lights and a transparent glass sidewall, your products are showcased attractively while saving energy. Experience the perfect balance of visibility and efficiency with our vertical open air display.

SLEEK AND DURABLE

Our Vertical Open Air Display showcases a clean and modern design with white coated steel interior walls and deck, offering a fresh and attractive backdrop for your products. The back coated exterior enhances the display's visual appeal while providing long-lasting durability.

ENERGY SAVINGS

Our Vertical Open Air Display combines efficient cooling technology with an enhanced display experience. Featuring energy-saving night curtains, a hot gas condensate system, and an automatic evaporation & defrost system, our display keeps your products fresh and visually appealing while saving energy.

CONVENIENT AND EYE-CATCHING

Our Vertical Open Air Display offers an open front design for easy access to products, ensuring fast service and an attractive display. With an LED sign panel, you can showcase your offerings with style and capture customers' attention. Experience the perfect blend of convenience and visual appeal with our vertical open air display.

VERTICAL OPEN AIR DISPLAY

Glass Side

**GOD-36G**36" open air
dispaly case - glass**GOD-48G**48" open air
dispaly case - glass**GOD-60G**60" open air
dispaly case - glass**GOD-72G**72" open air
dispaly case - glass

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrig- erant	No. Shelves	No. Night
		W	D	H								
GOD-36G	19.6	36 1/8	32 3/4	80 3/4	483	518	16.5	115/60/1	1	R -404A	4	1
	554	916	831	2,050	219	235	8.5	220~240/50,60/1				
GOD-48G	26.7	48 1/8	32 3/4	80 3/4	569	604	16.5	115/60/1	1	R -404A	4	1
	756	1,221	831	2,050	258	274	8.5	220~240/50,60/1				
GOD-60G	33.9	60 1/8	32 3/4	80 3/4	637	679	16.5	115/60/1	1	R -404A	4	1
	959	1,526	831	2,050	289	308	8.5	220~240/50,60/1				
GOD-72G	41.0	72 1/8	32 3/4	80 3/4	785	836	15	115/208~230/60/1	1 x 2	R -404A	8	2
	1,162	1,831	831	2,050	356	379	9.5	220~240/50,60/1				

GRAND has the right to change specifications without furthe notice.

VERTICAL OPEN AIR DISPLAY

Solid Side

**GOD-36S**36" open air
dispaly case - solid**GOD-48S**48" open air
dispaly case - solid**GOD-60S**60" open air
dispaly case - solid**GOD-72S**72" open air
dispaly case - solid

Model	Capacity (cu.ft/ℓ)	Exterior Dimension (Inch/mm)			Net Weight (lb/kg)	Gross Weight (lb/kg)	Amps	Voltage (V/Hz/Ø)	HP	Refrig- erant	No. Shelves	No. Night
		W	D	H								
GOD-36S	19.6	36 1/8	32 1/2	80 1/8	437	472	16.5	115/60/1	1	R -404A	4	1
	554	916	826	2,035	198	214	8.5	220~240/50,60/1				
GOD-48S	26.7	48 1/8	32 1/2	80 1/8	525	560	16.5	115/60/1	1	R -404A	4	1
	756	1,221	826	2,035	238	254	8.5	220~240/50,60/1				
GOD-60S	33.9	60 1/8	32 1/2	80 1/8	591	633	16.5	115/60/1	1	R -404A	4	1
	959	1,526	826	2,035	268	287	8.5	220~240/50,60/1				
GOD-72S	41.0	72 1/8	32 1/2	80 1/8	743	791	15	115/208~230/60/1	1 x 2	R -404A	8	2
	1,162	1,831	826	2,035	337	359	12	220~240/50,60/1				

GRAND has the right to change specifications without furthe notice.



Merchandiser Refrigerator & Freezer

Ignite Customer Interest in
Your Stores.

The HC Refrigerant is an eco-friendly cooling agent known for its low environmental impact and zero emissions, providing efficient cooling for various equipment, including display cabinets.

This display cabinet utilizes HC Refrigerant and is free from CFCs, offering precise temperature control with its electronic thermostat and digital LED display. It features a self-closing door to conserve energy, and its magnetic gasket can be replaced without tools. With low-E triple-pane glass doors, internal door frame heaters, and a white powder-coated steel interior, it ensures clear product visibility. The exterior is constructed from white powder-coated steel with a plastic top sign panel featuring a lamp, making it a sustainable and efficient choice for commercial use.



FROST PREVENTING

Our Merchandiser Refrigerator/Freezer boasts a cutting-edge design, featuring Low-E Triple Pane Glass Doors with Heater on Glass and an Inside Door Frame. If you're in search of a state-of-the-art refrigeration solution that superbly combines energy efficiency, product visibility, and reliability, our Merchandiser Refrigerator/Freezer is the ideal choice for your business.

FLEXIBLE ORGANIZATION

Our Merchandiser Refrigerator/Freezer offers flexible organization options, allowing you to customize the interior space according to your needs. Whether you're showcasing different product sizes, arranging items based on categories, or adapting to changing inventory, the versatility of our refrigeration unit empowers you to create an organized and visually appealing display.

EFFORTLESS DOOR CLOSURE


Our Merchandiser Swing Door Refrigerator/Freezer boasts a self-closing glass door, allowing for effortless door closure. No more worries about doors being left open accidentally, as the self-closing feature ensures a tight seal every time. This not only preserves the freshness of your products but also enhances energy efficiency by preventing temperature fluctuations.

PREMIUM INTERIOR COOLING

Our Merchandiser Refrigerator/Freezer is thoughtfully designed to provide the ultimate user experience. It comes with an electronic thermostat and a clear digital LED temperature display, ensuring that you have the tools for precise temperature control and effortless monitoring at your fingertips. Easily adjust and monitor storage conditions, ensuring product freshness.


Merchandiser Swing Glass Door

Refrigerator & Freezer




**GM12RSW-HC/
GM12FSW-HC**

Merchandiser Swing
Refrigerator / Freezer



**GM16RSW-HC/
GM16FSW-HC**

Merchandiser Swing
Refrigerator / Freezer



**GM23RSW-HC/
GM23FSW-HC**

Merchandiser Swing
Refrigerator / Freezer



**GM26RSW-HC/
GM26FSW-HC**

Merchandiser Swing
Refrigerator / Freezer

MODEL	Exterior Dimension (W x D x H / Inch)	V/Hz/Ph	Nema Plug	Tempera- ture	Refriger- ant	Storage capacity (Cu-ft)	Compres- sor HP	Shelf level
GM12RSW-HC	25.0×26.0×61.8	115V/60HZ/1	5-15P	33°F-41°F	R290	12	498W	3
GM12FSW-HC	25.0×26.0×61.8	115V/60HZ/1	5-15P	-10°F	R290	12	498W	3
GM16RSW-HC	25.0×26.0×74.8	115V/60HZ/1	5-15P	33°F-41°F	R290	16	498W	3
GM16FSW-HC	25.0×26.0×74.8	115V/60HZ/1	5-15P	-10°F	R290	16	498W	3
GM23RSW-HC	26.8×31.9××79.5	115V/60HZ/1	5-15P	33°F-41°F	R290	19.2	498W	4
GM23FSW-HC	26.8×31.9××79.5	115V/60HZ/1	5-15P	-10°F	R290	19.2	498W	4
GM26RSW-HC	28.3×33.9×79.5	115V/60HZ/1	5-15P	33°F-41°F	R290	21.6	498W	4
GM26FSW-HC	28.3×33.9×79.5	115V/60HZ/1	5-15P	-10°F	R290	21.7	498W	4

GRAND has the right to change specifications without furthe notice.



Merchandiser Swing Glass Door

Refrigerator & Freezer



**GM36RSW-HC/
GM36FSW-HC**

Merchandiser Swing
Refrigerator / Freezer



**GM48RSW-HC/
GM48FSW-HC**

Merchandiser Swing
Refrigerator / Freezer



**GM72RSW-HC/
GM72FSW-HC**

Merchandiser Swing
Refrigerator / Freezer



**GM30RSW-HC/
GM30FSW-HC**

Merchandiser Swing
Refrigerator / Freezer



**GM50RSW-HC/
GM50FSW-HC**

Merchandiser Swing
Refrigerator / Freezer



**GM73RSW-HC/
GM73FSW-HC**

Merchandiser Swing
Refrigerator / Freezer

MODEL	Exterior Dimension (W x D x H / Inch)	V/Hz/Ph	Temperature	Refrigerant	Storage capacity (Cu-ft)	Shelf level
GM36RSW-HC	39.5×32×79.5	115V/60HZ/1	33°F-41°F	R290	35	4
GM36FSW-HC	39.5×32×79.5	115V/60HZ/1	-10°F	R290	35	4
GM48RSW-HC	54×31.9×79.5	115V/60HZ/1	33°F-41°F	R290	48	4
GM48FSW-HC	54×31.9×79.5	115V/60HZ/1	-10°F	R290	48	4
GM72RSW-HC	81×31.9×79.5	115V/60HZ/1	33°F-41°F	R290	72	4
GM72FSW-HC	81×31.9×79.5	115V-230V/60HZ/1	-10°F	R290	72	4
GM30RSW-HC	26.8×31.9×79.5	115V/60HZ/1	33°F-41°F	R290	23	4
GM30FSW-HC	26.8×31.9×79.5	115V/60HZ/1	-10°F	R290	23	4
GM50RSW-HC	54×31.9×79.5	115V/60HZ/1	33°F-41°F	R290	48	4
GM50FSW-HC	54×31.9×79.5	115V/60HZ/1	-10°F	R290	48	4
GM73RSW-HC	81.0×31.9×79.5	115V/60HZ/1	33°F-41°F	R290	72	4
GM73FDW-HC	81.0×31.9×79.5	115V-230V/60HZ/1	-10°F	R290	72	4

GRAND has the right to change specifications without further notice.

Merchandiser Sliding Glass Door Refrigerator



GM-36RSL-HC

Merchandiser Sliding Refrigerator



GM-48RSL-HC

Merchandiser Sliding Refrigerator



GM-72RSL-HC

Merchandiser Sliding Refrigerator

MODEL	EXTERIOR DIMENSION (W x D x H inch)	V/Hz/Ph	STORAGE CAPACITY (Cu-ft)	TEMPERATURE	NEMA PLUG
GM36RSL-HC	39.5×30.7×79.5	115V/60HZ/1	36	33°F-41°F	5-15P
GM48RSL-HC	54×30.7×79.5	115V/60HZ/1	48	33°F-41°F	5-15P
GM72RSL-HC	81.0×30.7×79.5	115V/60HZ/1	72	33°F-41°F	5-15P

GRAND has the right to change specifications without further notice.



CUSTOMIZED PRODUCT

PERSONALIZED PERFECTION FOR
YOUR BUSINESS.



Wine Cabinet

At Grand Manufacturing LLC, our team comprises highly skilled designers and engineers dedicated to fulfilling your unique requirements. We take pride in creating custom commercial refrigerators that align perfectly with your preferences, including

color, size, and style. Experience refrigeration reimagined through our tailored solutions, crafted to cater specifically to your business needs. Contact us today and let our designers satisfy your every requirement, transforming your vision into reality.



Wine Cabinet




Beverage Cabinet

More Customizable Products Await Your Discovery!

01. Wine, Beverage Cabinet Series
02. Beef Display Cabinet
03. Sushi Display
04. Cake Display
05. Ice Cream Display Freezers
07. Air-Curtain Cabinet
08. Non-Gn Counter Fridge
09. Non-Gn Upright Dual Temp Fridge
10. Other Customized Fridge



Wine Cabinet



Beverage Cabinet




Wine Cabinet



Beverage Cabinet



Beverage Cabinet



Beef Display Cabinet



Ice Cream Display Freezers



Display Fridges



Buff Display Cabinet



Cake Display



Display Fridges



Buff Display Cabinet



Cake Display



Display Fridges



Buff Display Cabinet



Display Fridges



Refrigerator Series

We offer two warranties for our refrigeration products:

1. Parts and labor warranty.
2. Additional warranty on the compressor.

The parts and labor warranty covers the cost of parts and labor for the entire equipment, ensuring its reliability under normal operating conditions. Additionally, we provide a warranty specifically for the compressor, offering extended protection during the warranty period.

Please note that the warranty policy applies to equipment used and maintained in accordance with the provided operation manual. Warranty coverage does not include misuse, damage, unauthorized repairs, or normal wear and tear.

If you encounter any issues within the warranty period or need to file a warranty claim, please contact our customer service team. We are committed to providing support and ensuring your satisfaction with our refrigeration equipment.

For the refrigeration equipment with a 4-year parts and labor warranty, along with an additional 1-year warranty on the compressor, the covered equipment includes:

- Bottom Mount Reach-In
- Rear Mount Under Counter
- Salad & Sandwich Prep Table
- Megatop Sandwich Prep Table
- Direct Draw Beer Dispenser
- Pizza Prep Tables
- Narrow Back Bar
- Back Bar
- Bottle Coller

For the refrigeration equipment with a 3-year parts and labor warranty, along with an additional 2-year warranty on the compressor, the covered equipment includes:

- Chef Base
- Vertical Open-Air Display

For the refrigeration equipment with a 2-year parts and labor warranty and 5-year warranty on the compressor, the covered equipment includes:

- Merchandising Swing Glass Door Refrigerator / Freezer
- Merchandising Sliding Glass Door Refrigerator

WARRANTY SERVICE

Dear valued customer,

On behalf of the entire team at Grand Manufacturing LLC, we would like to introduce our product warranty policy. We take great pride in providing exceptional service and ensuring your satisfaction with our products.

For our refrigeration equipment, we offer the following warranty options:

Parts and Labor Warranty: We provide comprehensive parts and labor warranty for our refrigeration equipment. During the warranty period, if any malfunctions are discovered due to manufacturing defects or material quality issues, we will be responsible for repairing or replacing the affected components or equipment.

Additional Compressor Warranty: In addition to the parts and labor warranty, we also offer an additional warranty specifically for the compressor of our refrigeration equipment, providing you with more comprehensive coverage.

Our warranty policy is designed to safeguard your investment in our products and ensure optimal performance and reliability during your usage. Please note that the warranty policy applies to equipment used and maintained in accordance with the provided operation manual, and does not cover misuse, damage, unauthorized repairs, or normal wear and tear.

If you need to file a warranty claim or have any questions related to the warranty, please contact our customer service team. Our staff is dedicated to providing you with support and ensuring that your concerns are addressed in a timely manner.

Thank you for your trust and support in our company. We will continue to strive for excellence in providing quality products and services to meet your needs and expectations.

Best regards

All of Grand Manufacturing LLC



Grand[®]
Manufacturing LLC



Grand Manufacturing LLC
www.grandmfgllc.com